LANCOM PRODUCT OVERVIEW

Headquarters

LANCOM Systems GmbH Adenauerstr. 20/B2 52146 Würselen, Germany Germany

Telephone

+49 (0)2405 49936-0

Fax

+49 (0)2405 49936-99

E-mail

info@lancom.de

Internet

www.lancom-systems.com

LANCOM, LANCOM Systems, LCOS, LANcommunity and Hyper Integration are registered trademarks. All other names or descriptions used may be trademarks or registered trademarks of their owners. This document contains statements relating to future products and their attributes. LANCOM Systems reserves the right to change these without notice. No liability for technical errors and/or omissions. 09/19



- > Cloud-managed Networks
- > Router & VPN-Gateways
- > All-IP- & VoIP Routers
- > Next-generation UTM Firewalls
- > Switches
- > Wireless LAN
- > Service, Training & Support

SECURE.**NETWORKS.**





Systems



Secure. Networks.

Trusted networking solutions

LANCOM Systems is the leading European manufacturer of secure, reliable, and future-viable networking and security solutions (WAN, LAN, WLAN, and firewalls) for business and the public sector. The company combines hardware with virtual networking components and cloud-based software-defined networking (SDN). The result is a unique portfolio of on-premises and cloud solutions with a central platform for SD-WAN, SD-LAN, SD-WLAN & SD-SECURITY.

Software and hardware development as well as manufacturing take place mainly in Germany, as does the hosting of the network management. Special attention is given to providing trusted solutions with excellent security features. Furthermore, freedom from backdoors is a key protection provided by these products. The Trust Seal "IT-Security Made in Germany" confirms the trustworthiness and the outstanding security levels the products offer.

LANCOM Systems was founded in 2002 and has its headquarters in Würselen near Aachen, Germany. Customers include SMEs, government agencies, institutions, and major corporations from all over the world. Since summer 2018, the company has been an independent subsidiary of the Munich-based technology group Rohde & Schwarz GmbH & Co. KG.

CLOUD-MANAGED NETWORKS

| LANCOM Management Cloud | 4 |
|------------------------------------|----|
| Software-defined networking | 6 |
| ROUTERS AND VPN GATEWAYS | |
| Business VPN routers | 8 |
| Business VoIP routers | 12 |
| Internet access routers | 14 |
| Software VPN clients | 16 |
| Central-site VPN gateways | 18 |
| SECURITY | |
| Next-generation UTM firewalls | 20 |
| SWITCHES | |
| Fully managed switches | 22 |
| Websmart & unmanaged switches | 25 |
| WIRELESS LAN | |
| WLAN indoor access points | 26 |
| WLAN controllers | 29 |
| Wireless ePaper solutions | 30 |
| Outdoor access points | 32 |
| Industrial access points | 34 |
| Wi-Fi guest access | 35 |
| Antennas | 36 |
| ACCESSORIES AND OPTIONS | |
| Hardware accessories | 15 |
| Software options | 17 |
| LANTOOLS | |
| LANconfig, LANmonitor, WLANmonitor | 38 |
| SERVICE, TRAINING & SUPPORT | |
| Service & Support | 40 |
| Training Center | 42 |
| Comparison table | 44 |

CLOUD-MANAGED NETWORKS

The LANCOM Management Cloud is the world's first hyper-integrated management system that intelligently organizes, optimizes, and controls your entire network architecture in terms of its WAN, LAN, WLAN, and Security. This state-of-the-art cloud management system for all network components drastically simplifies the provision of integrated networks and makes the manual configuration of individual devices a thing of the past.

HIGHLIGHTS OF THE LANCOM MANAGEMENT CLOUD

- > Control and monitoring of the entire network by one system
- > Zero-touch deployment and auto-configuration
- > Holistic and automatic network virtualization
- > Scalability for networks of any scale
- Highly automated system for maximum time- and cost savings
- > Easy device integration thanks to a term-based licensing model



Learn more at: www.lancom-systems.com/cloud



HYPER INTEGRATION

AUTOMATED, HOLISTIC NETWORK ORCHESTRATION

The LANCOM Management Cloud replaces manual and individual device configurations by automated network orchestration. All the administrator has to do is to specify the framework conditions for the design of the network. Complex network configurations are reduced to a few minutes and clicks!



Maximum agility and versatility



Radical time and cost savings




State-of-the-art security



Highly automated multi-service networks

CLOUD-MANAGED NETWORKS

The LANCOM Management Cloud is a holistic system that controls the entire network infrastructure. All gateways, routers, firewalls, switches, and access points are quickly and easily transferred to the cloud-based network orchestration



SD-WAN

A software-defined wide-area network (SD-WAN) automatically and dynamically uses any type of wide-area network (WAN) for VPN site connectivity and the provision of multi-service networks.

SD-LAN

Short for software-defined local-area network, an SD-LAN supports the automated, dynamic, and secure provisioning of any type of multi-service network on switch ports.

SD-WLAN

A software-defined wireless local-area network (SD-WLAN) combines the features of WLAN controllers and conventional cloud-managed Wi-Fis and supplements these with maximized automation and agility.

SD-SECURITY

Software-defined security (SD-SECURITY) offers centrally orchestrated IT security including Unified Threat Management (UTM) as well as a complete overview of security and compliance requirements for multi-site networks.



PRECISELY FITTING LICENCE MODELS

For the optional integration of LANCOM devices into the hyper-integrated network management of the LANCOM Management Cloud, flexible licensing models are available. This way your infrastructure stays agile and easily expandable. There are four license categories (A-D); license terms 1, 3 or 5 years). How devices and categories combine can be seen in the product table in the annex.



SECURE. NETWORKS.

You can rely on IT security Made in Germany from LANCOM and benefit from device handling that is guaranteed to be backdoor-free and fully compliant with data protection regulation.



Products on pages marked with thi symbol can be integrated into the LANCOM Management Cloud.

Business VPN RoutersSD-WAN with the 1900 series

SD-WAN

Large-scale network infrastructures operating at multiple locations demand true bandwidth experts to keep everything working efficiently in the changing digital environment. The LANCOM business VPN routers of the 1900 series are professional devices for secure VPN networking and high-performance Internet connectivity.

THE BANDWIDTH EXPERTS

- ideal for large corporate infrastructures



LANCOM 1906VA-4G

- > 2x VDSL2 Vectoring, 1x SFP/TP, 1x WAN Ethernet
- > Load balancing & a higher available bandwidth
- > Dual-SIM LTE-Advanced for up to 300 Mbps
- > Integrated LANCOM VCM (Voice Call Manager) and SBC (Session Border Controller)
- > 2 ISDN interfaces (1x TE/NT, 1x NT) and 4 analog interfaces
- > 25 simultaneous IPSec-VPN connections (optionally 50)
- > Network virtualization with up to 64 networks (ARF)



LANCOM 1906VA

Like the LANCOM 1906VA-4G except for dual-SIM LTE-Advanced




LANCOM 1900EF

- Multi-WAN VPN gateway with 1x SFP/TP, 1x WAN Ethernet
- > Load balancing & a higher available bandwidth
- Integrated LANCOM VCM (Voice Call Manager) and SBC (Session Border Controller)
- > 25 simultaneous IPSec-VPN connections (optionally 50)
- > Network virtualization with up to 64 networks (ARF)



LANCOM 1900 SERIES FOR TOP PERFORMANCE AND INTELLIGENT LOAD BALANCING

Load balancing distributes the data traffic evenly across the network. This ensures that data links are divided between at least two connections, so that even if one line fails, the other one acts as a backup. The LANCOM 1900 series allows the parallel operation of several Internet connections for perfect load balancing and maximization of the available bandwidth.



Business VPN Routers



For small and medium-sized companies, the reliable connection of branch offices, employees or service providers is absolutely essential. The LANCOM business VPN routers are professional devices for secure VPN networking and high-performance Internet connectivity. Wide choice of interfaces, versatile backup options, and future-proof SD-WAN features in combination with the LMC make these routers ideal for many different industries and areas of application.

THE VPN ROUTERS FOR VARIOUS REQUIREMENTS

- ideal for small and medium-sized enterprise structures



LANCOM 1790VA-4G

- > Integrated VDSL Super Vectoring modem for up to 300 Mbps (backwards compatible with VDSL2 / ADSL2+)
- > LTE-Advanced for up to 300 Mbps
- > 5 simultaneous IPSec-VPN connections (25 optional)



LANCOM 1790VAW

- > Like the LANCOM 1790VA-4G, without LTE-Advanced
- > Wi-Fi operation at 2.4 or 5 GHz at up to 867 Mbps with Wi-Fi 5 or 300 Mbps with Wi-Fi 4



LANCOM 1790VA

> Like the LANCOM 1790VA-4G, without LTE-Advanced



LANCOM 1790-4G

> Like the LANCOM 1790VA-4G, without VDSL



LANCOM 1790EF

- > High-speed Internet via external modems or fiber-optics
- > 5 simultaneous IPSec-VPN connections (25 optional)



LANCOM 1781VA

> Like the LANCOM 1790VA, but with VDSL2/ADSL2+ modem and 1x ISDN interface



LANCOM 1781EW+

- > High-speed Internet via external modems
- > Wi-Fi at up to 450 Mbps with Wi-Fi 4
- > 1 x ISDN interface
- > 5 simultaneous IPSec-VPN connections (25 optional)



LANCOM 1780EW-4G+

- > Gigabit Ethernet for connection to DSL or cable modems
- > LTE-Advanced for up to 300 Mbps
- > Wi-Fi operation at 2.4 or 5 GHz at up to 867 Mbps with Wi-Fi 5 or 300 Mbps with Wi-Fi 4
- > 5 simultaneous IPSec-VPN connections (25 optional)





LANCOM IAP-1781VAW+

- > Integrated VDSL2/ADSL2+ modem for up to 100 Mbps
- > Wi-Fi operation at 2.4 or 5 GHz at up to 867 Mbps with Wi-Fi 5 or 300 Mbps with Wi-Fi 4
- > Robust IP54 protective housing (temperature range -25°C to 70°C) including mounting materials
- > 5 simultaneous IPSec-VPN connections (25 optional)



LANCOM IAP-4G+

- > Integrated LTE-Advanced modem for up to 300 Mbps
- > Full-metal housing based on IP50
- > Extended temperature range (-20°C to +50°C)
- > 5 simultaneous IPSec-VPN connections (25 optional)



LANCOM 1640E

- > Gigabit Ethernet for connection to external DSL or cable modems
- > 3 simultaneous IPSec VPN connections



LANCOM VIRTUAL CPE

- > Software-based router for operation in virtual environments
- > Licenses for LANCOM vRouter 50 and vRouter 250

10

Business VolP Routers



As a migration solution for operating analog, ISDN, and VoIP terminals at an All-IP exchange line or for fast Internet – the LANCOM business VoIP router networking experts are ideal for the diverse demands of modern small and medium-sized companies.

FIT FOR ALL-IP

- in small and medium-sized networks



LANCOM 1793VA-4G

- Integrated VDSL Super Vectoring modem for up to 300 Mbps (backwards compatible with VDSL2 / ADSL2+)
- > LTE-Advanced for up to 300 Mbps
- > Integrated LANCOM VCM (Voice Call Manager) and SBC (Session Border Controller)
- > 2 ISDN interfaces (1x TE/NT, 1x NT) and 4 analog interfaces
- > 5 simultaneous IPSec-VPN connections (25 optional)
- > Network virtualization with up to 16 networks (ARF)



LANCOM 1793VAW

- > Like the LANCOM 1793VA-4G, without LTE-Advanced
- > Wi-Fi operation at 2.4 or 5 GHz at up to 867 Mbps with Wi-Fi 5 or 300 Mbps with Wi-Fi 4



LANCOM 1793VA

Like the LANCOM 1793VA-4G, without LTE-Advanced



LANCOM 1784VA

- > Integrated VDSL2 / ADSL2+ modem
- > Integrated LANCOM VCM (Voice Call Manager) and SBC (Session Border Controller)
- > 4 ISDN interfaces (1x TE/NT, 1x NT)
- > 5 simultaneous IPSec-VPN connections (25 optional)
- > Network virtualization with up to 16 networks (ARF)

NEW



LANCOM 883+ VoIP

- Integrated VDSL Super Vectoring modem for up to 300 Mbps (backwards compatible with VDSL2 / ADSL2+)
- > WLAN based on Wi-Fi 4 for up to 300 Mbps
- > 2 ISDN interfaces (1x TE/NT, 1x NT) and 4 analog interfaces
- > Integrated LANCOM VCM (Voice Call Manager) and SBC (Session Border Controller)
- > 3 simultaneous IPSec-VPN connections
- > Network virtualization with up to 2 networks (ARF)



LANCOM 883 VoIP

> Like the LANCOM 883+ VoIP, but with VDSL2 / ADSL2+ modem and 2x analog interfaces



LANCOM 884 VoIP

- > Integrated VDSL2 / ADSL2+ modem
- > 4 ISDN interfaces (1x TE/NT, 1x NT)
- > Integrated LANCOM VCM (Voice Call Manager) and SBC (Session Border Controller)
- > 3 simultaneous IPSec-VPN connections
- > Network virtualization with up to 2 networks (ARF)



LANCOM DECT 510 IP

- > Integration into networks via LANCOM business VoIP routers / routers with an activated All-IP Option
- > Use up to 6 DECT handsets

Internet Access Routers



Internet access routers from LANCOM can be used in small and large networks, and they are ideal where high-end modems are required or where cellular models operate as additional "4G antennas" for other routers.

Hardware Accessories

LANCOM offers a comprehensive range of accessories for many applications. With convenient rack- or wall-mounting options and SFP modules for fast fiber-optic connections, you can adapt your LANCOM product to your specific needs.

BUSINESS SOLUTIONS

- reliable and versatile



LANCOM 730VA

- > Integrated VDSL2 / ADSL2+ modem
- > Operates as a pure DSL modem or router



LANCOM 730-4G+

- > Operates as a freely positionable LTE-Advanced network extension or as standalone LTE router
- > Easily connected to a LANCOM router or switch
- > Powered by PoE or power supply unit
- > LTE-Advanced with up to 300 Mbps



LANCOM SFP-MODULES*

- > Versatile use in LANCOM switches, routers, and firewalls with integrated SFP ports
- > For high-speed fiber-optic networking or as a copper-cabled Ethernet port
- > Also available as Direct Attached Cable
 - * Suitable SFP modules can be found in the table in the annex.

LANCOM RACK MOUNT (19")

- > Suitable for front or rear device mountings
- > For all LANCOM devices with the indoor housing



LANCOM RACK MOUNT PLUS (19")

- > Device connectors located on the front
- > For all LANCOM devices with the indoor housing





LANCOM WALL MOUNT

- > Convenient wall mounting for all LANCOM indoor access points and routers with plastic housings
- > Theft-proof thanks to padlock
- > Available in the colors "classic" and "white"
- Also available as Wall Mount (Rail) in the "classic" color variant and as Wall Mount (LN) for the LN housing



Software VPN Clients

At their home office or on the road, employees can dial-in to the corporate network at any time at the click of a mouse: The LANCOM Advanced VPN Client enables secure and convenient data communication over the Internet. The software is available for the operating systems Microsoft Windows* and macOS**.

LANCOM ADVANCED VPN CLIENT

- secure access when traveling

WINDOWS

- > IPSec-VPN client for Windows 10, Windows 8.1, Windows 8, Windows 7 (32 and 64 bit)
- > Supports IPv4 and IPv6 VPN
- > IKEv2 support
- > IPSec-over-HTTPS (based on NCP VPN Path Finder technology)
- Seamless roaming VPN connections remain intact even with media changes

macOS

- > IPSec-VPN client for macOS up to 10.14 Mojave
- > Integrated stateful inspection firewall
- > Supports IPv4 and IPv6 VPN
- > IKEv2 support



^{*} Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries.

Software Options

The LANCOM software options* upgrade your LANCOM routers, central-site VPN gateways, access points, and WLAN controllers with an array of functions. These cost-efficient software upgrades give your existing devices entirely new functionalities – exactly according to your needs.



LANCOM WLC Basic

OPTION

LANCOM CONTENT FILTER

> Category-based review and blocking of web pages



- > Upgrades LANCOM routers with WLAN controller functions
 - Manages 6 (optionally up to 12) access points or WLAN routers





> Increases the number of access points and WLAN routers managed by the controller

LANCOM HIGH AVAILABILITY CLUSTERING OPTION



 For the centralized management of clustered WLAN controllers for central-site VPN gateways and convenient configuration synchronization (Config Sync)

LANCOM VPN OPTION



> Upgrades the number of available VPN tunnels



LANCOM ALL-IP OPTION



- > Upgrades a LANCOM router to be an IP-ISDN gateway
- Telephony with the LANCOM Voice Call Manager (VCM) and Session Border Controller (SBC)

LANCOM VOIP +10 OPTION



> Upgrade for 10 additional VoIP phone numbers (max. 40) and 10 additional SIP lines (max. 55)

^{**} Mac and macOS are trademarks of Apple Inc. registered in the U.S. and other countries.

^{*} Options vary per product, please refer to the list of options in the annex.

Central-site VPN Gateways



Companies use encrypted Internet connections to operate business-critical applications across multiple locations. LANCOM central-site VPN gateways support the implementation of large-scale multiservice IP network structures for centralized security, high performance, and the utmost reliability.

CENTRALIZED SECURITY

- for large networks

LANCOM ISG-8000

- > 250 simultaneous IPSec-VPN connections (up to 1,000 optional)
- > Network virtualization with up to 256 networks (ARF)
- > 2x 10 GE SFP+ ports, 8x GE-ETH ports, 2x front USB ports, 1x serial port (RJ45)

NEW



LANCOM ISG-4000

- > 200 simultaneous IPSec-VPN connections (up to 1,000 optional)
- > Network virtualization with up to 256 networks (ARF)
- > 2x 10 GE SFP+ ports, 4x GE combo ports (ETH / SFP), 1x GE-ETH port, 1x front USB port, 1x serial port (RJ45)



LANCOM ISG-1000

- > 100 simultaneous IPSec-VPN connections (up to 200 optional)
- > Network virtualization with up to 128 networks (ARF)
- > 4x GE combo ports (ETH / SFP) and 1x GE-ETH port, 1x front USB port, 1x serial port (RJ45)





VIRTUALIZED PERFORMANCE FOR UNMATCHED SCALABILITY

The LANCOM vRouter is a virtual, software-based router for operation with VMware ESXi, HyperV or Microsoft Azure. Be it a branch router (vCPE), a central-site VPN gateway (vGateway) or virtualized WLAN controller (vWLC), the LANCOM vRouter is the ideal basis for state-of-the-art networks.

The LANCOM vRouter is available as term-based variants for varying scalability and performance requirements

VROUTER

TUAL GATEWAYS

LANCOM vRouter unlimited — unlim. Mbps, 1,000 VPN channels, 256x ARF, unlimited Public Spot users, WLAN controller function for up to 1,000 access points / WLAN routers

LANCOM vRouter 1000 – 1,000 Mbps, 200 VPN channels, 128x ARF, unlimited Public Spot users, WLAN controller function for up to 200 access points / WLAN routers

LANCOM vRouter 500 – 500 Mbps, 100 VPN channels, 64x ARF, unlimited Public Spot users, WLAN controller function for up to 100 access points / WLAN routers

TUAL CPE

LANCOM vRouter 250 – 250 Mbps, 50 VPN channels, 16x ARF, 128 Public Spot users, WLAN controller function for up to 100 access points / WLAN routers

LANCOM vRouter 50 – 50 Mbps, 10 VPN channels, 8x ARF, 128 Public Spot users, WLAN controller function for up to 10 access points / WLAN routers

Next-generation UTM Firewalls



LANCOM R&S®Unified Firewalls complete your network to ensure effective protection against malware and cybersecurity threats. These easy-to-operate all-round solutions are tailored to the individual security needs of small and medium-sized businesses and are fully integrated into the LANCOM Management Cloud as of this autumn 2019







| LANCOM R&S®Unified Firewalls | UF-50 | UF-100 | UF-200 | UF-300 | UF-500 | UF-900 |
|---------------------------------|--------------------------|--------------------------|---------------------------|---------------------------|---------------------------|---|
| Network interfaces | | | | | | |
| Ports | 4x GE copper | 4x GE copper | 4x GE copper | 8x GE copper | 14x GE copper | 8x GE copper (two additional slots for plug-in modules for 1G ETH, 1G SFP and 10G SFP+) |
| System performance | | | | | | |
| IPS/IDS throughput (Mbps) | - | _ | 550 | 635 | 1,295 | 3,780 |
| Firewall throughput (Mbps) | 2,600 (UDP) | 3,800 (UDP) | 3,800 (UDP) | 7,700 (UDP) | 13,400 (UDP) | 60,000 (UDP) |
| VPN throughput (Mbps) | 200 (IPSec) | 430 (IPSec) | 430 (IPSec) | 620 (IPSec) | 1,260 (IPSec) | 4,280 (IPSec) |
| Concurrent sessions | 520,000 | 1,000,000 | 1,000,000 | 1,000,000 | 2,000,000 | 16,700,000 |
| New sessions per second | 8,000 | 11,000 | 11,000 | 13,000 | 33,000 | 130,000 |
| Number of users (rec.) | Max. 10 concurrent users | Max. 30 concurrent users | Max. 100 concurrent users | Max. 100 concurrent users | Max. 200 concurrent users | Max. 500 concurrent users |
| LMC category | В | В | В | С | D | D |

YOUR BENEFITS:

- > Intuitive network visualization for easy implementation of security and compliance policies
- > Filtering and validation of applications and protocols
- > Protection against spam, viruses, malware, and cyber attacks
- > State-of-the-art security technologies with R&S®PACE2 deep packet inspection
- > Preventive security against zero-day threats through integrated sandboxing and machine learning

More under: www.lancom-systems.com/unified-firewalls

IT SECURITY FOR SECURE NETWORK INFRASTRUCTURES:



LANCOM R&S VFIREWALL

- > Virtual, software-based firewall for operation with VMware ESXi
- > Available as term-based variants for varying scalability and performance requirements



LANCOM R&S®UF COMMAND CENTER

> Central and intuitive management and monitoring for existing installations of LANCOM R&S®Unified Firewalls

Fully managedLayer 3 lite Switches



These layer 3 lite switches are the ideal solution for large-scale, demanding and data-intensive network structures. Basic layer-3 features such as static routing and a DHCP server deliver intelligent networking by efficiently distributing the load between the various network components.

POWERFUL SWITCHES

- for data-intensive networks

LANCOM GS-3152X / GS-3152XP / GS-3152XSP

- > Fully managed access switch with 48x Gigabit Ethernet ports and 4x SFP+ (1G/10G)
- > Basic layer-3 features
- > LANCOM GS-3152XP additionally supports PoE based on IEEE 802.3af/at (740 W)
- > LANCOM GS-3152XSP additionally with hot-swappable PSU (2x 820W PoE budget) for maximum PoE power of 30W on all 48 PoE ports and front-to-back fan for optimal cooling in rack operation

NEW



NEW



LANCOM SPSU-920

> High availability with the hot-swappable power supply (920 W) for the LANCOM GS-3152XSP

LANCOM GS-3528X / GS-3528XP

- Fully managed access switch with 12x 2.5 Gigabit Ethernet ports, 12 Gigabit Ethernet ports, and 4x SFP+ (1G/10G)
- > Basic layer-3 features
- > Ideal in combination with Wi-Fi 6 access points such as LANCOM LX-6400 and LX-6402
- > LANCOM GS-3528XP also supports PoE based on IEEE 802.3af/at (370 W)

NEW





BASIC LAYER-3 FEATURES

Static routing

Static routing allows you to predefine network routes through one or more network segments for faster data exchange, particularly where levels of internal data traffic are high. This relieves the load on the router. Router capacities are freed up to handle the external data traffic

DHCP server

As a DHCP server, a switch is able to independently and automatically assign IP addresses to clients. The new devices support this basic layer-3 feature and handles the IP management of the network connected to it.

Fully Managed Switches



LANCOM switches are the ideal complement to every LANCOM router and access point, thus providing the finishing touch to a high-power network with consistent management. You gain a supremely reliable all-round solution that is effectively managed.

PROFESSIONAL SWITCHES

- for small and medium-sized networks

LANCOM GS-2328F

> Full-fiber switch with 20 SFP ports (1G), 4 combo ports (TP/SFP), 4 SFP+ ports (1G/10G)



LANCOM GS-2326+ AND LANCOM GS-2326P+

- Gigabit Ethernet switches with 24 Gigabit Ethernet ports and 2 combo ports (TP/SFP), no fan
- > LANCOM GS-2326P+ also supports PoE based on IEEE 802.3af/at (185 W), quiet fan



LANCOM GS-2310 AND LANCOM GS-2310P+

- > Gigabit Ethernet switches with 8 Gigabit Ethernet ports and 2 combo ports (TP/SFP), no fan
- > LANCOM GS-2310P+ also supports PoE based on IEEE 802.3af/at (130 W)



ALL FULLY MANAGED SWITCHES COME WITH:

- > 5-year warranty on all components
- Port-based access control as per IEEE 802.1X (single, multi port-based, MAC-based) on all ports
- Comprehensive security features such as TACACS+ and SSH/SSI

Websmart & Unmanaged Switches

LANCOM websmart and unmanaged switches are the ideal addition for small and medium-sized network environments while offering a great price/performance ratio.

IDEAL FOR EASY NETWORKING

- in small office environments

LANCOM GS-1326

- Small business websmart Gigabit Ethernet switch with 24 Gigabit Ethernet ports and 2 combo ports (TP/SFP), no fan
- > Browser-based configuration
- Security with configurable access control on all ports based on IEEE 802.1X



LANCOM GS-1108

> Unmanaged Gigabit Ethernet switch with 8 Gigabit Ethernet ports, no fan



LANCOM GS-1108P

> Like the LANCOM GS-1108 with additional PoE support based on IEEE 802.3af/at (60 W) and a quiet fan





WLAN Indoor Access Points



The mobility and flexibility offered by laptops, tablets, and smartphones have become an integral part of our everyday lives. Take advantage of the many benefits of wireless networks with LANCOM access points.

PROFESSIONAL WLAN

- powerful and versatile

NEW



LANCOM LN-1700B / LANCOM LN-1702B

- > Parallel operation at 2.4 and 5 GHz at up to 1,733 Mbps with Wi-Fi 5 (Wave 2) and 450 Mbps with Wi-Fi 4
- > Bluetooth Low Energy radio module
- > 4x4 multi-user MIMO
- > 2x Gigabit Ethernet
- > LANCOM LN-1700B with internal antennas, LANCOM LN-1702B with external antennas



- > Parallel operation at 2.4 and 5 GHz at up to 867 Mbps with Wi-Fi 5 (Wave 2) and 300 Mbps with Wi-Fi 4
- > 2x2 multi-user MIMO
- > 2x Gigabit Ethernet
- > LANCOM LN-860 with internal antennas. LANCOM LN-862 with external antennas



LANCOM LN-830U

- > Parallel operation at 2.4 and 5 GHz at up to 867 Mbps with Wi-Fi 5 and 300 Mbps with Wi-Fi 4
- > USB 2.0 port for connecting supported IoT wireless systems
- > 2x Gigabit Ethernet



LANCOM L-822acn DUAL WIRELESS

- > Parallel operation at 2.4 and 5 GHz at up to 867 Mbps with Wi-Fi 5 and 300 Mbps with Wi-Fi 4
- > 2x Gigabit Ethernet
- > External antennas



HIGH EFFICIENCY WIRELESS

Wi-Fi 6 (IEEE 802.11ax) provides more stability and reliability in highbut above all the average throughput per Wi-Fi client in high-dendevices, this efficient utilization of available bandwidth is the highperformance basis.

WI-FI 6 ACCESS POINTS

NEW



LANCOM LX-6400 / LANCOM LX-6402

- > LANCOM LX-6400 with internal antennas, LANCOM LX-6402 with external antennas

WLAN Indoor Access Points ©



Be it a law firm, a café, or small and medium-sized office environments: Reliable Wi-Fi for flexible working and surfing with mobile devices is essential. LANCOM offers professional equipment that can be operated both stand-alone and for expanding existing infrastructures

WLAN Controllers

Operating LANCOM WLAN controllers means massive time savings for your network administrators. Access points and WLAN routers are configured and controlled centrally and fully automatically. With standardized control over your wireless network, managing your wireless infrastructure is greatly simplified.

RELIABLE WI-FI

- for law firms, cafés, or medium-sized office environments



LANCOM LW-500

- > Parallel operation at 2.4 GHz and 5 GHz at up to 867 Mbps with Wi-Fi 5 (Wave 2) and 300 Mbps with Wi-Fi 4
- > 2x Gigabit Ethernet
- > Smoke-detector design with integrated antennas

LANCOM LN-630acn DUAL WIRELESS

- > Parallel operation at 2.4 GHz and 5 GHz at up to 867 Mbps with Wi-Fi 5 and 300 Mbps with Wi-Fi 4
- > 1x Gigabit Ethernet



LANCOM L-322agn DUAL WIRELESS

- > Parallel operation at 2.4 GHz and 5 GHz at up to 300 Mbps with Wi-Fi 4
- > 1x Gigabit Ethernet, 1x Fast Ethernet



LANCOM L-321agn WIRELESS

- > Operates at 2.4 GHz or 5 GHz at up to 300 Mbps with Wi-Fi 4
- > 1x Gigabit Ethernet

CENTRAL WLAN MANAGEMENT

- for standardized control

LANCOM WLC-1000

- > Centralized firmware rollout, monitoring, and management of 25 to 1,000 access points and Wi-Fi routers
- > Optional High Availability Clustering Option for highavailability scenarios
- > Integrated hotspot functionality



LANCOM WLC-4006+

- > Centralized management for 6 access points and WLAN routers (upgradeable for up to 30 devices)
- > Integrated hotspot functionality



WLAN operating models

The LANCOM portfolio of WLAN products is as varied and versatile as your requirements. With our range of access points, LANCOM offers a comprehensive product portfolio that will meet any individual challenge. The devices offer maximum versatility of operation: Be it orchestration by the LANCOM Management Cloud, central management by a WLAN controller, or stand-alone operation.

Wireless ePaper Solutions

Accentuate your modern interior design, automate your processes, and improve transparency and information flow. LANCOM Wireless ePaper solutions offer you representative, centrally radio-controlled displays along with professional Wi-Fi in a single infrastructure.

APPLICATIONS

- > For active room signs
- > For visitor badges or table displays at meetings and conferences
- > For menu cards and seat reservations in gastronomy
- > For radio-controlled price labeling in the retail sector



PATENTED TECHNOLOGY

- for parallel and interference-free wireless operation

NEW









LANCOM LN-1700UE

- > Parallel operation at 2.4 and 5 GHz at up to 1733 Mbps with Wi-Fi 5 (Wave 2) and 450 Mbps with Wi-Fi 4
- > 4x4 multi-user MIMO for the simultaneous control of multiple clients
- > Integrated radio module for controlling LANCOM Wireless ePaper Displays
- > Integrated iBeacon technology
- > USB 2.0 port for the integration of suported IoT wireless systems
- > Power supply via PoE based on IEEE 802.3at

LANCOM LN-830E WIRELESS

- > Parallel operation at 2.4 and 5 GHz at up to 867 Mbps with Wi-Fi 5 and 300 Mbps with Wi-Fi 4
- > Integrated radio module for controlling LANCOM Wireless ePaper Displays
- > Integrated iBeacon technology
- > Power supply via PoE based on IEEE 802.3af

NEW 12,2"



LANCOM WIRELESS ePAPER DISPLAYS

- > Convenient, wireless updates
- > Available in four sizes: 12.2", 7.4", 4.2", and 2.7"
- > Suitable for use in daylight and capable of displaying graphics
- > Battery life up to 5 years
- > Display in black, white, and red



LANCOM WIRELESS ePAPER ROOM SIGNAGE SET

- > Complete set for room signage
- > Contents: 1x LANCOM LN-830E Wireless, 5x LANCOM WDG-2 7.4", 1x LANCOM Wireless ePaper Server for managing any number of access points and up to 1,000 Wireless ePaper Displays

LANCOM WIRELESS ePAPER PREMIUM FRAME 7.4"

- > Brushed stainless steel for an exclusive look
- > Compatible with 7.4" Wireless ePaper Displays

LANCOM WIRELESS ePAPER USB

> Wireless ePaper radio extension for access points (e.g. LN-830U) and routers with USB interface














NEW

Outdoor Access Points



Be it for connectivity between buildings, point-to-point links, as an outdoor Wi-Fi hotspot, or for "last-mile" bandwidth connectivity – thanks to their robust protective housing, LANCOM outdoor WLAN access points have an extended temperature range (-33°C to +70°C) to handle even extreme environmental conditions.

OUTDOOR WI-FI

- for any weather



LANCOM OAP-830

- > Parallel operation at 2.4 and 5 GHz at up to 867 Mbps with Wi-Fi 5 and 300 Mbps with Wi-Fi 4
- > Integrated sector antennas for 2.4 and 5 GHz
- > Sturdy IP66 housing




LANCOM OAP-822

> Like the OAP-830, but with 4 external antenna connectors and without integrated antennas



- > Operation at 2.4 or 5 GHz at up to 867 Mbps with Wi-Fi 5 and 300 Mbps with Wi-Fi 4
- Integrated 5-GHz directional antenna and external antenna connectors for 2.4 GHz
- > Sturdy IP66 housing
- > Also available as a "Bridge Kit" (2x OAP-821 incl. accessories)



ENTERPRISE-CLASS OUTDOOR WI-FI

Achieving an excellent Wi-Fi experience in open areas with a large number of clients demands a future-proof infrastructure. Based on the Wi-Fi 5 Wave 2 technology, these new access points offer the best quality in wireless networks with large numbers of concurrent users.

MAXIMUM PERFORMANCE

- for high-density environments

NEW



NEW



LANCOM OAP-1700B / LANCOM OAP-17002B

- Parallel operation at 2.4 and 5 GHz at up to 1,733 Mbps with Wi-Fi 5 (Wave 2) and 450 Mbp with Wi-Fi 4
- > Bluetooth Low Energy radio module for innovative beaconing applications
- > Sturdy IP67 housing
- > LANCOM OAP-1700B with integrated sector antennas for 2 4 and 5 GHz
- > LANCOM OAP-1702B with eight external antenna connectors with premounted omni-directional antennas

Industrial Access Points



Industrial access points from LANCOM Systems are specially designed for harsh indoor environments. Thanks to their special dust-proof housings with an extended temperature range (-20°C to +50°C), industrial access points form the basis for reliable Wi-Fi in warehouses and logistics, across covered outdoor areas, or on mobile machinery.

DUST-PROOF HOUSINGS

- for harsh indoor environments



LANCOM IAP-822

- Parallel operation at 2.4 and 5 GHz at up to 867 Mbps with Wi-Fi 5 and 300 Mbps with Wi-Fi 4
- > Robust all-metal IP50 housing
- > Reliable even at demanding temperatures (-20°C to +50°C)

LANCOM IAP-821

- > Operation at 2.4 or 5 GHz at up to 867 Mbps with Wi-Fi 5 or 300 Mbps with Wi-Fi 4
- > Robust all-metal IP50 housing
- > Reliable even at demanding temperatures (-20°C to +50°C)



Versatile Wi-Fi guest access LANCOM Public Spot Option

Guest access is at its best when it is easy to set up, offers guests user-friendly access to the Internet, and assures operators that their own company network and guest network are secure from unauthorized access. The LANCOM Public Spot Option provides reliable and secure Internet access for guests, visitors, partners, or customers, all based on a common infrastructure



HOTSPOT OPTIONS

- for user-friendly guest access

LANCOM PUBLIC SPOT OPTION

LANCOM Public Spot

OPTION

- > Multiple options of login procedures
- Smart Ticket for convenient hotspot registration via SMS or e-mail
- Choice of models for online time and validity period of the quest access accounts
- > Secure separation of guest access from the internal network
- > Voucher and portal layout can be customized to the individual design of the company
- Connection to external servers via XML and RADIUS interfaces; ideal for connecting hotspot solutions via third-party providers

LANCOM PUBLIC SPOT PMS ACCOUNTING PLUS OPTION



- > Combines your Public Spot solution with your Property Management System
- > Internet fees can be charged to the room bill
- > Suitable for PMS with FIAS interface, such as Micros Fidelio or Protel
- > Requirement: LANCOM Public Spot Option

Antennas

LANCOM offers a comprehensive portfolio of indoor and outdoor wireless LAN antennas for the 2.4 and 5-GHz frequency bands, as well as antennas for 4G routers. Each antenna is supplied with a kit that includes cable and mounting materials. Necessary adapters are included in the scope of delivery or available as LANCOM accessories.

EXTENSIVE PORTFOLIO

- for indoor and outdoor applications



4 x 4 MIMO WI-FI OUTDOOR ANTENNAS

AIRLANCER ON-Q360ag

> 360° omni-directional antenna for 4 dBi gain (2.4 and 5 GHz)



> 90° sector antenna for +6 dBi (2.4 GHz) or +5 dBi gain (5 GHz)



> 60° sector antenna for +6.5 dBi (2.4 GHz) or +7.5 dBi gain (5 GHz)



3 x 3 MIMO WI-FI OUTDOOR ANTENNAS

AIRLANCER ON-T360ag

> 360° omni-directional antenna for +5 dBi (2.4 GHz) or +7 dBi gain (5 GHz)



> 90° sector antenna for +6 dBi (2.4 GHz) or +5 dBi gain (5 GHz)

AIRLANCER ON-T60ag

> 60° sector antenna for +8 dBi gain (2.4 and 5 GHz)



2 x 2 MIMO WI-FI OUTDOOR ANTENNA

AIRLANCER ON-D9a

> 9° directional antenna for +23 dBi gain (5 GHz)



AIRLANCER MOUNT (ON)

 Versatile wall or pole mounting of LANCOM outdoor Wi-Fi antennas (ON)





WI-FI INDOOR ANTENNAS

AIRLANCER IN-H180

> 180° ceiling antenna for +3 dBi (2.4 GHz) or +5 dBi gain (5 GHz) and with 6 connectors

AIRLANCER IN-Q180

> 180° ceiling antenna for +3 dBi (2.4 GHz) or +5 dBi gain (5 GHz) and with 4 connectors



4G ANTENNAS

AIRLANCER Extender I-360-4G

 Omni-directional indoor multiband LTE antenna, fully backwards-compatible



AIRLANCER Extender 0-360-4G

> Omni-directional outdoor multiband LTE antenna, fully backwards-compatible

LANtools

Along with the LANCOM Management Cloud, LANCOM provides a comprehensive set of free management & monitoring tools: Once installed on a Windows system, the programs LANconfig, LANmonitor and WLANmonitor provide the detailed configuration and monitoring of LANCOM routers, access points, and WLAN controllers – for devices individually or in clusters.

HOLISTIC MANAGEMENT OF INFRASTRUCTURES

- > Software package for managing LANCOM products
- > Easy configuration and monitoring
- > Parallel management and monitoring of multiple devices

LANCOM MANAGEMENT SOFTWARE

- central management for small and medium-sized networks

LANconfig

LANconfig has a wide range of applications, from the commissioning of a single device with various installation wizards, to the holistic management of several devices.

- > Easy management of entire infrastructures
- > Preconfiguration and import of configurations
- > Range of Setup Wizards
- > Configuration via Telnet, SSH, and HTTPS
- > Context-based help
- > QuickFinder, the quick way to find devices and settings






LANCOM MONITORING SOFTWARE

- for efficient monitoring of small and medium-sized networks

LANmonitor

LANmonitor is ideal for the structured monitoring of networks. It offers nearly real-time monitoring of all connections and device status.

- > Connection and interface status display
- Monitoring of transfer rates, protocols, and IP addresses
- > Display of software version, CPU load, and memory usage
- > Logging of online times and transfer volumes
- > Firewall event log and device SYSLOG
- Graphical trace module for recordings and troubleshooting
- > Spectral Scan graphically displays interference sources on the Wi-Fi



WLANmonitor

WLANmonitor can centrally monitor the status of a wireless LAN. It presents information about the entire network in general and detailed information about individual access points and clients.

- > Full monitoring of all Wi-Fi events
- > Status display for all clients, access points, and WLAN controllers
- > Detection of foreign access points and clients (Roque AP / Client Detection / IDS)

LANCOM Service & SupportThe right services for our partners

How can you plan your customers' network as efficiently as possible but also for the long-term? Is your customer in the operational phase of his network and you need to support him when he has problems? Is your customer growing and you are looking for ways to optimize and update their network? You can count on us: As our partner, you can rely on individual support from us.

ALL-ROUND SUPPORT

Take this path together with us as your manufacturer. For every phase of the network's lifecycle, we provide fitting service products and comprehensive trainings.





Further information about LANCOM Service & Support as well as our warranty and support conditions is available at: www.lancom-systems.com/service-support

SERVICE PACKAGES

- the right service, whatever the phase

STARTING ON THE ROAD TO SUCCESS



 LANCOM WLAN Survey Service – WLAN coverage service for the successful planning and implementation of wireless infrastructures



 LANCOM Config Service – Professional support for the configuration of your LANCOM installations



> LANCOM Warranty Basic Option — Warranty extension incl. security updates for LANCOM devices to 5 year



> LANCOM Warranty Advanced Option — Warranty extension incl. security updates for LANCOM devices to 5 years and advance replacement by the next business day



 LANCOM Service Pack 24/7 – Short-term, solution-oriented emergency support for your LANCOM R&S®Unified Firewalls



SUPPORT FOR FAILSAFE OPERATIONS

 LANCOM Emergency Support – Short-notice, solution-oriented emergency support with minimum response times



> LANCOM Extended Support Times — Exclusive off-hours support



 LANCOM Premium Support Access – Premium support access for optimally secured networks



 LANCOM Enterprise Support Access – Full service package to secure networks with > 100 devices



 LANCOM MSP-Care-24/7 – Full service package for managed service providers who secure high-availability network scenarios



> LANCOM Consulting Day — Network optimization with a LANCOM consultant on-site with you

LANCOM Training Center

With our unique training center, we at LANCOM aim to successfully transfer our know-how from the manufacturer to specialist resellers and technicians. You can apply the new knowledge gained from the workshop: Benefit from greater efficiency in configuring LANCOM devices and in the implementation of solutions. Those who benefit most from our optimally coordinated workshops include specialist resellers, system-vendor technicians, system administrators, and IT decision-makers.

OPTIMIZATION AND TRAINING

- LANCOM know-how transfer



PROFESSIONAL WORKSHOPS

- > Professional Workshop WAN / WLAN
- > Professional Workshop Cloud
- > Professional Workshop Security



SPECIALIST WORKSHOPS

- > Specialist Workshop WAN
- > Specialist Workshop LAN
- > Specialist Workshop WLAN
- > Specialist Workshop Cloud
- > Specialist Workshop Security
- > Specialist Workshop All-IP



EXPERT WORKSHOP

> A comprehensive overview of all topics

FURTHER WORKSHOPS



> Trainee



> On-site training – Individual workshops by appointment



LANCOM CERTIFICATIONS

LANCOM certifications demonstrate comprehensive network expertize and help you to stand out among the many experts.

IMPORTANT ADDITIONAL OFFER

In the LANCOM workshops, you have personally demonstrated that you can successfully incorporate products from LANCOM in the planning and implementation of solutions for complex scenarios. The LANCOM certifications are an official qualification from LANCOM. You receive a certificate to confirm your expertise. Take the opportunity of theoretical and practical examination to certify yourself as:



he various workshops build on each other